Neuroscience Letters, 229 (1997) 216–219
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Addicks, K., see Arnhold, S., 165
Aggleton, J.P., see Zhu, X.O., 141
Alfos, S., see Enderlin, V., 125
Amaducci, L., see Nacmias, B., 177
Amenta, F., see Ricci, A., 130
Anderson, G.F., see Przywara, D.A., 138
Andressen, C., see Arnhold, S., 165
Aoki, K., see Fukuhara, C., 49
Arnhold, S., Andressen, C., Bloch, W., Mai, J.K., Addicks, K., NO synthase-II is transiently expressed in embryonic mouse olfactory receptor neurons, 165
Ayuso, M.S., see Ibarreta, D., 157
Azmitia, E.C., see Nishi, M., 212

Bagetta, G., see Nucci, C., 185
Basun, H., see Lindh M., 85
Battaglia, G., Monn, J.A., Schoepp, D.D., In vivo inhibition of veratridine-evoked release of striatal excitatory amino acids by the group II metabotropic glutamate receptor agonist LY354740 in rats, 161
Bender, S., see Schall, U., 25
Bigl, V., see Lemke, R., 69
Blin, O., see Hasbroucq, T., 204
Bloch, W., see Arnhold, S., 165
Blomberg, M., see Lindh M., 85
Boneh, A., Hochman-Meyuchas, R., Sicsic, C., Brenner, T., Effect of sphingosine on rat glial cells: inhibition of prostaglandin E_2 and insensitivity of nitric oxide generation, 181
Brandenberger, G., see Otzenberger, H., 173
Brenner, T., see Boneh, A., 181
Bristow, D.R., see Savidge, J.R., 109
Bronzetti, E., see Ricci, A., 130
Brown, M.W., see Zhu, X.O., 141
Bucinskaite, V., Kurosawa, M., Miyasaka, K., Funakoshi, A., Lundeberg, T., Interleukin-1β sensitizes the response of the gastric vagal afferent to cholecystokinin in rat, 33
Buisseret, P., see Buisseret-Delmas, C., 189
Buisseret-Delmas, C., Pinganaud, G., Compoint, C., Buisseret, P., Projection from trigeminal nuclei to neurons of the mesencephalic trigeminal nucleus in rat, 189
Butler, A.B., see Saidel, W.M., 13
Butterworth, R.F., see Knecht, K., 201

Calcutt, N.A., see Mizisin, A.P., 53
Cantera, L., see Edvinsson, L., 209
Carlton, S.M., Rees, H., Gondesen, K., Willis, W.D., Dextrorphan attenuates responses of spinothalamic tract cells in normal and nerve-injured monkeys, 169
Castañeda, D.R., see Castellanos, J.E., 198
Castellanos, J.E., Castañeda, D.R., Velandia, A.E., Hurtado, H., Partial inhibition of the in vitro infection of adult mouse dorsal root ganglion neurons by rabies virus using nicotinic antagonists, 198
Cerulli, L., see Nucci, C., 185
Chen, C.-F., see Wu, M.-S., 101
Chien, C.-T., see Wu, M.-S., 101
Cohen, M.L., see Cox, D.A., 37
Compoint, C., see Buisseret-Delmas, C., 189
Cowburn, R.F., see Lindh M., 85
Cox, D.A., Cohen, M.L., Amyloid β-induced neurotoxicity is associated with phospholipase D activation in cultured rat hippocampal cells, 37

Dalby, N.O., Nielsen, E.B., Tiagabine exerts an anti-epileptogenic effect in amygdala kindling epileptogenesis in the rat, 135
Dargelos, E., see Enderlin, V., 125

Edvinsson, L., Cantera, L., Jansen-Olesen, I., Uddman, R., Expression of calcitonin gene-related peptide$_1$ receptor mRNA in human trigeminal ganglia and cerebral arteries, 209
Eggers, C., see Schall, U., 25
Enderlin, V., Pallet, V., Alfos, S., Dargelos, E., Jaffard, R., Garcin, H., Higueret, P., Age-related decreases in mRNA for brain nuclear receptors and target genes are reversed by retinoic acid treatment, 125
Engvall, B., see Lindh M., 85
Eto, S., see Yamamoto, S., 97

Faussone-Pellegrini, M.-S., see Matini, P., 45
Feifel, D., Swerdlow, N.R., The modulation of sensorimotor gating deficits by mesolimbic cholecystokinin, 5
Felici, L., see Ricci, A., 130
Frenkel, C., Gerhard, A., Wartenberg, H.C., Rehberg, B., Urban, B.W., No evidence for specific opioid effects on batrachotoxin-modified sodium channels from human brain synaptosomes, 41
Frisch, C., Hasenöhrl, R.U., Huston, J.P., The histamine H_1-antagonist chlorpheniramine facilitates learning in aged rats, 89
Fukuhara, C., Suzuki, N., Matsumoto, Y., Nakayama, Y., Aoki, K., Tsujimoto, G., Inouye, S.-I.T., Masuo, Y., Day-night variation of pituitary adenylate cyclase-activating polypeptide (PACAP) level in the rat suprachiasmatic nucleus, 49
Funakoshi, A., see Bucinskaite, V., 33

Gadient, R.A., see Lemke, R., 69
Garcin, H., see Enderlin, V., 125
Gerhard, A., see Frenkel, C., 41
Giasson, B.I., Mushynski, W.E., Developmentally regulated stabilization of neuronal intermediate filaments in rat cerebral cortex, 77
Godfrey, D.A., see Yao, W., 21
Gomez, M.V., see Salgado, A.H.I., 113
Gondesen, K., see Carlton, S.M., 169
Greenberg, J.H., Hamada, J., Rysman, K., Distribution of N^{ω}-nitro-L-arginine following topical and intracerebroventricular administration in the rat, 1
Gronfier, C., see Otzenberger, H., 173
Guarnieri, B.M., see Nacmias, B., 177

PII S0304-3940(97)00467-9

Neuroscience Letters, 229 (1997) 216–219
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Addicks, K., see Arnhold, S., 165
Aggleton, J.P., see Zhu, X.O., 141
Alfos, S., see Enderlin, V., 125
Amaducci, L., see Nacmias, B., 177
Amenta, F., see Ricci, A., 130
Anderson, G.F., see Przywara, D.A., 138
Andressen, C., see Arnhold, S., 165
Aoki, K., see Fukuhara, C., 49
Arnhold, S., Andressen, C., Bloch, W., Mai, J.K., Addicks, K., NO synthase-II is transiently expressed in embryonic mouse olfactory receptor neurons, 165
Ayuso, M.S., see Ibarreta, D., 157
Azmitia, E.C., see Nishi, M., 212

Bagetta, G., see Nucci, C., 185
Basun, H., see Lindh M., 85
Battaglia, G., Monn, J.A., Schoepp, D.D., In vivo inhibition of veratridine-evoked release of striatal excitatory amino acids by the group II metabotropic glutamate receptor agonist LY354740 in rats, 161
Bender, S., see Schall, U., 25
Bigl, V., see Lemke, R., 69
Blin, O., see Hasbroucq, T., 204
Bloch, W., see Arnhold, S., 165
Blomberg, M., see Lindh M., 85
Boneh, A., Hochman-Meyuchas, R., Sicsic, C., Brenner, T., Effect of sphingosine on rat glial cells: inhibition of prostaglandin E_2 and insensitivity of nitric oxide generation, 181
Brandenberger, G., see Otzenberger, H., 173
Brenner, T., see Boneh, A., 181
Bristow, D.R., see Savidge, J.R., 109
Bronzetti, E., see Ricci, A., 130
Brown, M.W., see Zhu, X.O., 141
Bucinskaite, V., Kurosawa, M., Miyasaka, K., Funakoshi, A., Lundeberg, T., Interleukin-1β sensitizes the response of the gastric vagal afferent to cholecystokinin in rat, 33
Buisseret, P., see Buisseret-Delmas, C., 189
Buisseret-Delmas, C., Pinganaud, G., Compoint, C., Buisseret, P., Projection from trigeminal nuclei to neurons of the mesencephalic trigeminal nucleus in rat, 189
Butler, A.B., see Saidel, W.M., 13
Butterworth, R.F., see Knecht, K., 201

Calcutt, N.A., see Mizisin, A.P., 53
Cantera, L., see Edvinsson, L., 209
Carlton, S.M., Rees, H., Gondesen, K., Willis, W.D., Dextrorphan attenuates responses of spinothalamic tract cells in normal and nerve-injured monkeys, 169
Castañeda, D.R., see Castellanos, J.E., 198
Castellanos, J.E., Castañeda, D.R., Velandia, A.E., Hurtado, H., Partial inhibition of the in vitro infection of adult mouse dorsal root ganglion neurons by rabies virus using nicotinic antagonists, 198
Cerulli, L., see Nucci, C., 185
Chen, C.-F., see Wu, M.-S., 101
Chien, C.-T., see Wu, M.-S., 101
Cohen, M.L., see Cox, D.A., 37
Compoint, C., see Buisseret-Delmas, C., 189
Cowburn, R.F., see Lindh M., 85
Cox, D.A., Cohen, M.L., Amyloid β-induced neurotoxicity is associated with phospholipase D activation in cultured rat hippocampal cells, 37

Dalby, N.O., Nielsen, E.B., Tiagabine exerts an anti-epileptogenic effect in amygdala kindling epileptogenesis in the rat, 135
Dargelos, E., see Enderlin, V., 125

Edvinsson, L., Cantera, L., Jansen-Olesen, I., Uddman, R., Expression of calcitonin gene-related peptide$_1$ receptor mRNA in human trigeminal ganglia and cerebral arteries, 209
Eggers, C., see Schall, U., 25
Enderlin, V., Pallet, V., Alfos, S., Dargelos, E., Jaffard, R., Garcin, H., Higueret, P., Age-related decreases in mRNA for brain nuclear receptors and target genes are reversed by retinoic acid treatment, 125
Engvall, B., see Lindh M., 85
Eto, S., see Yamamoto, S., 97

Faussone-Pellegrini, M.-S., see Matini, P., 45
Feifel, D., Swerdlow, N.R., The modulation of sensorimotor gating deficits by mesolimbic cholecystokinin, 5
Felici, L., see Ricci, A., 130
Frenkel, C., Gerhard, A., Wartenberg, H.C., Rehberg, B., Urban, B.W., No evidence for specific opioid effects on batrachotoxin-modified sodium channels from human brain synaptosomes, 41
Frisch, C., Hasenöhrl, R.U., Huston, J.P., The histamine H_1-antagonist chlorpheniramine facilitates learning in aged rats, 89
Fukuhara, C., Suzuki, N., Matsumoto, Y., Nakayama, Y., Aoki, K., Tsujimoto, G., Inouye, S.-I.T., Masuo, Y., Day-night variation of pituitary adenylate cyclase-activating polypeptide (PACAP) level in the rat suprachiasmatic nucleus, 49
Funakoshi, A., see Bucinskaite, V., 33

Gadient, R.A., see Lemke, R., 69
Garcin, H., see Enderlin, V., 125
Gerhard, A., see Frenkel, C., 41
Giasson, B.I., Mushynski, W.E., Developmentally regulated stabilization of neuronal intermediate filaments in rat cerebral cortex, 77
Godfrey, D.A., see Yao, W., 21
Gomez, M.V., see Salgado, A.H.I., 113
Gondesen, K., see Carlton, S.M., 169
Greenberg, J.H., Hamada, J., Rysman, K., Distribution of N^{ω}-nitro-L-arginine following topical and intracerebroventricular administration in the rat, 1
Gronfier, C., see Otzenberger, H., 173
Guarnieri, B.M., see Nacmias, B., 177

PII S0304-3940(97)00467-9

Hamada, J., see Greenberg, J.H., 1
Hamalainen, M.M., Lovick, T.A., Role of nitric oxide and serotonin in modulation of the cardiovascular defence response evoked by stimulation in the periaqueductal grey matter in rats, 105
Hanin, I., see Willson C.A., 149
Hara, Y., Ueta, Y., Isse, T., Kabashima, N., Shibuya, I., Hattori, Y., Yamashita, H., Increase of urocortin-like immunoreactivity in the rat supraoptic nucleus after dehydration but not food deprivation, 65
Hasbroucq, T., Rihet, P., Blin, O., Possamaï, C.-A., Serotonin and human information processing: fluvoxamine can improve reaction time performance, 204
Hasenöhrl, R.U., see Frisch, C., 89
Hattori, Y., see Hara, Y., 65
He, L., see Shaikh, A.Y., 193
Higueret, P., see Enderlin, V., 125
Hochman-Meyuchas, R., see Boneh, A., 181
Honda, T., see Murayama, O., 61
Hsu, C.Y., see Shaikh, A.Y., 193
Hurtado, H., see Castellanos, J.E., 198
Huston, J.P., see Frisch, C., 89

Ibarreta, D., Tao, J., Parrilla, R., Ayuso, M.S., Mutation analysis of chromosome 19 calmodulin (CALM3) gene in Alzheimer's disease patients, 157
Inenaga, K., see Yamamoto, S., 97
Inouye, S.-I.T., see Fukuhara, C., 49
Isse, T., see Hara, Y., 65
Iwasaki, M., see Mizunami, M., 153

Jacob, N., Vuillez, P., Pévet, P., Photoperiod does not act on the suprachiasmatic nucleus photosensitive phase through the endogenous melatonin, in the Syrian hamster, 117
Jaffard, R., see Enderlin, V., 125
Jansen-Olesen, I., see Edvinsson, L., 209
Jensen, M., see Lindh M., 85

Kabashima, N., see Hara, Y., 65
Kangawa, K., see Yamamoto, S., 97
Kawata, M., see Nishi, M., 212
Kendig, J.J., see Qiang Feng, J., 9
Knecht, K., Michalak, A., Rose, C., Rothstein, J.D., Butterworth, R.F., Decreased glutamate transporter (*GLT-1*) expression in frontal cortex of rats with acute liver failure, 201
Kulkarni, J.S., see Przywara, D.A., 138
Kurosawa, M., see Bucinskaite, V., 33

Lannfelt, L., see Lindh M., 85
Leask, A., Obrietan, K., Stearns, T., Synaptically coupled central nervous system neurons lack centrosomal γ-tubulin, 17
Lemke, R., Gadient, R.A., Patterson, P.H., Bigl, V., Schliebs, R., Leukemia inhibitory factor (LIF) mRNA-expressing neuronal subpopulations in adult rat basal forebrain, 69
Li, L., see Mizisin, A.P., 53
Lindh, M., Blomberg, M., Jensen, M., Basun, H., Lannfelt, L., Engvall, B., Scharnagel, H., März, W., Wahlund, L.-O., Cowburn, R.F., Cerebrospinal fluid apolipoprotein E (apoE) levels in Alzheimer's disease patients are increased at follow up and show a correlation with levels of tau protein, 85
Lo, Y.L., see Yung, K.K.L., 81
Lovick, T.A., see Hamalainen, M.M., 105
Lundeberg, T., see Bucinskaite, V., 33

Mai, J.K., see Arnhold, S., 165
März, W., see Lindh M., 85
Masuo, Y., see Fukuhara, C., 49
Matini, P., Faussone-Pellegrini, M.-S., Ultrastructural localization of neuronal nitric oxide synthase-immunoreactivity in the rat ileum, 45
Matsumoto, Y., see Fukuhara, C., 49
McCabe, B.J., see Zhu, X.O., 141
Mercken, M., see Murayama, O., 61
Michalak, A., see Knecht, K., 201
Michel, G., see Murayama, O., 61
Miyasaka, K., see Bucinskaite, V., 33
Mizisin, A.P., Li, L., Calcutt, N.A., Sorbitol accumulation and transmembrane efflux in osmotically stressed JS1 schwannoma cells, 53
Mizunami, M., Iwasaki, M., Nishikawa, M., Okada, R., Modular structures in the mushroom body of the cockroach, 153
Monn, J.A., see Battaglia, G., 161
Moraes-Santos, T., see Salgado, A.H.I., 113
Mori, K., see Ota, A., 57
Morimoto, I., see Yamamoto, S., 97
Moss, R.L., see Thompson, T.L., 145
Murayama, M., see Murayama, O., 61
Murayama, O., Honda, T., Mercken, M., Murayama, M., Yasutake, K., Nihonmatsu, N., Nakazato, Y., Michel, G., Song, S., Sato, K., Takahashi, H., Takashima, A., Different effects of Alzheimer-associated mutations of presenilin 1 on its processing, 61
Mushynski, W.E., see Giasson, B.I., 77

Nacmias, B., Tedde, A., Guarnieri, B.M., Petruzzi, C., Ortenzi, L., Serio, A., Amaducci, L., Sorbi, S., Analysis of apolipoprotein E, α1-antichymotrypsin and presenilin-1 genes polymorphisms in dementia caused by normal pressure hydrocephalus in man, 177
Nagatsu, T., see Ota, A., 57
Nakashima, A., see Ota, A., 57
Nakashima, S., see Sakai, H., 93
Nakayama, Y., see Fukuhara, C., 49
Nakazato, Y., see Murayama, O., 61
Nielsen, E.B., see Dalby, N.O., 135
Nihonmatsu, N., see Murayama, O., 61
Nishi, M., Kawata, M., Azmitia, E.C., S100β promotes the extension of microtubule associated protein2 (MAP2)-immunoreactive neurites retracted after colchicine treatment in rat spinal cord culture, 212
Nishikawa, M., see Mizunami, M., 153
Nishimura, Y., see Sakai, H., 93
Nisticò, G., see Nucci, C., 185
Nozawa, Y., see Sakai, H., 93
Nucci, C., Piccirilli, S., Bagetta, G., Nisticò, G., Cerulli, L., *N*-Methyl-D-aspartate (NMDA) and non-NMDA glutamate receptor antagonists protect from apoptosis induced in the lateral geniculate nucleus of rabbits exposed to the dark, 185

O'Connor, J.J., see O'Leary, D.M., 29
O'Leary, D.M., O'Connor, J.J., Potentiation of synaptic transmis-

sion in the rat dentate gyrus in vitro by (S)-3,5-dihydroxyphenylglycine ((S)-DHPG), 29
Oades, R.D., see Schall, U., 25
Obrietan, K., see Leask, A., 17
Okada, R., see Mizunami, M., 153
Ortenzi, L., see Nacmias, B., 177
Ota, A., Nakashima, A., Mori, K., Nagatsu, T., Effects of dopamine on N-terminus-deleted human tyrosine hydroxylase type 1 expressed in *Escherichia coli* 57
Otzenberger, H., Simon, C., Gronfier, C., Brandenberger, G., Temporal relationship between dynamic heart rate variability and electroencephalographic activity during sleep in man, 173

Pallet, V., see Enderlin, V., 125
Parrilla, R., see Ibarreta, D., 157
Patterson, P.H., see Lemke, R., 69
Petruzzi, C., see Nacmias, B., 177
Pévet, P., see Jacob, N., 117
Piccirilli, S., see Nucci, C., 185
Pinganaud, G., see Buisseret-Delmas, C., 189
Possamaï, C.-A., see Hasbroucq, T., 204
Prado, M.A.M., see Salgado, A.H.I., 113
Przywara, D.A., Zhong, H., Kulkarni, J.S., Anderson, G.F., Wakade, A.R., Chronic activation of protein kinase C by phorbol ester reduces calcium channel expression in chick sympathetic neurons, 138

Qiang Feng, J., Kendig, J.J., Propofol potentiates the depressant effect of alfentanil in isolated neonatal rat spinal cord and blocks naloxone-precipitated hyperresponsiveness, 9

Rees, H., see Carlton, S.M., 169
Rehberg, B., see Frenkel, C., 41
Ricci, A., Bronzetti, E., Felici, L., Tayebati, S.K., Amenta, F., Dopamine D_4 receptor in human peripheral blood lymphocytes: a radioligand binding assay study, 130
Rihet, P., see Hasbroucq, T., 204
Romano-Silva, M.A., see Salgado, A.H.I., 113
Rose, C., see Knecht, K., 201
Rothstein, J.D., see Knecht, K., 201
Rysman, K., see Greenberg, J.H., 1

Saidel, W.M., Butler, A.B., An atypical diencephalic nucleus in actinopterygian fishes: visual connections and sporadic phylogenetic distribution, 13
Saito, S., Effects of lysophosphatidic acid on primary cultured chick neurons, 73
Sakai, H., Nakashima, S., Yoshimura, S.-i., Nishimura, Y., Sakai, N., Nozawa, Y., Identification of differentially expressed mRNAs during rat C6 glial cell differentiation by mRNA fingerprinting using arbitrarily primed PCR (RAP), 93
Sakai, N., see Sakai, H., 93
Salgado, A.H.I., Prado, M.A.M., Moraes-Santos, T., Romano-Silva, M.A., Gomez, M.V., Tityustoxin-induced release of ATP from rat brain cortical synaptosomes, 113
Sato, K., see Murayama, O., 61
Savidge, J.R., Bristow, D.R., Routes of NMDA- and K^+-stimulated calcium entry in rat cerebellar granule cells, 109
Schall, U., Schön, A., Zerbin, D., Bender, S., Eggers, C., Oades, R.D., A left temporal lobe impairment of auditory information processing in schizophrenia: an event-related potential study, 25
Scharnagel, H., see Lindh M., 85
Schliebs, R., see Lemke, R., 69
Schoepp, D.D., see Battaglia, G., 161
Schön, A., see Schall, U., 25
Serio, A., see Nacmias, B., 177
Sessler, F.M., see Zhai, J., 121
Shaikh, A.Y., Xu, J., Wu, Y., He, L., Hsu, C.Y., Melatonin protects bovine cerebral endothelial cells from hyperoxia-induced DNA damage and death, 193
Shibuya, I., see Hara, Y., 65
Sicsic, C., see Boneh, A., 181
Simon, C., see Otzenberger, H., 173
Song, S., see Murayama, O., 61
Sorbi, S., see Nacmias, B., 177
Stearns, T., see Leask, A., 17
Suzuki, N., see Fukuhara, C., 49
Swerdlow, N.R., see Feifel, D., 5

Takahashi, H., see Murayama, O., 61
Takashima, A., see Murayama, O., 61
Tao, J., see Ibarreta, D., 157
Tayebati, S.K., see Ricci, A., 130
Tedde, A., see Nacmias, B., 177
Thompson, T.L., Moss, R.L., Modulation of mesolimbic dopaminergic activity over the rat estrous cycle, 145
Tsujimoto, G., see Fukuhara, C., 49

Uddman, R., see Edvinsson, L., 209
Ueta, Y., see Hara, Y., 65
Urban, B.W., see Frenkel, C., 41

Velandia, A.E., see Castellanos, J.E., 198
Vuillez, P., see Jacob, N., 117

Wahlund, L.-O., see Lindh M., 85
Wakade, A.R., see Przywara, D.A., 138
Wartenberg, H.C., see Frenkel, C., 41
Wieland, S.J., see Zhai, J., 121
Willis, W.D., see Carlton, S.M., 169
Willson, C.A., Hanin, I., Brain-derived neurotrophic factor induced stimulation of septal choline acetyltransferase activity in ethylcholine mustard aziridinium-treated rats, 149
Wu, M.-S., Chien, C.-T., Chen, C.-F., Renal R2 chemoreceptor activity is attenuated after back heating in the rat, 101
Wu, Y., see Shaikh, A.Y., 193

Xu, J., see Shaikh, A.Y., 193

Yamamoto, S., Morimoto, I., Yanagihara, N., Kangawa, K., Inenaga, K., Eto, S., Yamashita, H., C-Type natriuretic peptide suppresses arginine-vasopressin secretion from dissociated magnocellular neurons in newborn rat supraoptic nucleus, 97
Yamashita, H., see Hara, Y., 65
Yamashita, H., see Yamamoto, S., 97
Yanagihara, N., see Yamamoto, S., 97
Yao, W., Godfrey, D.A., Densitometric evaluation of markers for cholinergic transmission in rat superior olivary complex, 21
Yasutake, K., see Murayama, O., 61

Yoshimura, S.-i., see Sakai, H., 93
Yung, K.K.L., Lo, Y.L., Immunocytochemical localization of muscarinic m2 receptor in the rat spinal cord, 81
Zerbin, D., see Schall, U., 25
Zhai, J., Wieland, S.J., Sessler, F.M., Chronic cocaine intoxication alters hippocampal sodium channel function, 121
Zhong, H., see Przywara, D.A., 138
Zhu, X.O., McCabe, B.J., Aggleton, J.P., Brown, M.W., Differential activation of the rat hippocampus and perirhinal cortex by novel visual stimuli and a novel environment, 141